


2FW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In re application of : Allan L. Green
Serial No. : 10/773,881
Filed : 02/06/2004
Title : **DIABETIC TOE SEPARATORS**
Docket No. : 5051.002

STATUS REQUEST

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:


On February 6, 2004, the undersigned filed a utility patent application, as noted above, and received a return postcard indicating receipt of said filing. As it has been thirteen (13) months since the filing and the undersigned has yet to receive an Office Action or any other papers in connection with the above-referenced application, Applicant is filing this Status Request to determine the status of said application. Please confirm whether any office actions have been issued.

Respectfully Submitted,

Stearns Weaver Miller Weissler Alhadeff
& Sitterson, P.A.
200 East Broward Boulevard, Suite 1900
Fort Lauderdale, FL 33301
(954) 462-9500

By:

Mark D. Bowen
Reg. No. 39,914



APPLICANT : Allan L. Green
SERIAL NO. : 10/773,881
FILED : 02/06/2004
FILE NO. : 5051.002

CERTIFICATE OF MAILING

I HEREBY CERTIFY that the following correspondence: ***STATUS REQUEST; and RETURN POSTCARD FOR CONFIRMATION OF RECEIPT*** is being deposited with the United States Postal Service as first class mail with sufficient postage in a prepaid envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on this 31st day of March, 2005.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code.



Sherri G. Newcomb
Date: 3/31/2005

STEARNS WEAVER MILLER WEISSLER ALHADEFF & SITTERSON, P.A.
200 East Broward Boulevard, 19th Floor
Fort Lauderdale, Florida 33301
(954) 462-9500